

Potassium EDTA Manganese 13%

Version number: 1.0

SECTION 1: Identification

1.1 Product identifier

Identification of the substance	dipotassium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']manganate(2-)
Trade name	<u>Potassium EDTA Manganese 13%</u>
CAS number	68015-77-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Formulation of industrial products Professional use in formulations Production of fertiliser
---------------------------------	--

1.3 Details of the supplier of the safety data sheet

Valudor Products, LLC 179 Calle Magdalena Suite 100 Encinitas, California CA 92024 United States	Telephone: +1 (760) 635 8500 e-mail: info@valudor.com Website: www.valudor.com
---	--

1.4 Emergency telephone number

Emergency information service	800-535-5053 (Infotrac)
--------------------------------------	-------------------------

As above or next toxicological information centre.

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This substance does not meet the criteria for classification.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Not required.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Potassium EDTA Manganese 13%

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	dipotassium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']manganate(2-)
Identifiers	
CAS No	68015-77-0

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.

Following skin contact

Take off contaminated clothing and wash it before reuse.

Following eye contact

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth with water (only if the person is conscious).

Induce vomiting when the affected person is not unconscious.

Get medical advice/attention.

Notes for the doctor

None.

4.2 Most important symptoms and effects, both acute and delayed

These information are not available.

4.3 Indication of any immediate medical attention and special treatment needed

None.

Potassium EDTA Manganese 13%

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, fire extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

Hazardous combustion products

nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Coordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

chemical protection suit, self-contained breathing apparatus (SCBA)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ventilate affected area.

Control of dust.

Do not breathe dust.

Avoid contact with skin and eyes.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to clean up a spill

Collect spillage.

Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.).

Potassium EDTA Manganese 13%

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5.

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

Keep away from sources of ignition - No smoking.

Specific notes/details

None.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Do not breathe dust.

Avoid contact with skin and eyes.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

7.2 Conditions for safe storage, including any incompatibilities

Flammability hazards

None.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Protect against external exposure, such as

heat, humidity

Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

Store in a dry place. Store in a closed container.

Potassium EDTA Manganese 13%

Ventilation requirements

Provision of sufficient ventilation.

Specific designs for storage rooms or vessels

Storage temperature recommended storage temperature: -5 - 30 °C

Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Notation	Source
US	manganese compounds	-	PEL (CA)	-	0.2	-	-	Mn	Cal/OSHA PEL
US	manganese compounds	-	REL	-	1 (10 h)	-	3	Mn	NIOSH REL
US	manganese compounds	-	PEL	-	-	-	-	Mn	29 CFR 1910.1000

Notation

Mn calculated as Mn (manganese)

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	10 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	25,000 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Potassium EDTA Manganese 13%

Environment values

Relevant PNECs and other threshold levels		
Endpoint	Threshold level	Environmental compartment
PNEC	3.13 mg/l	freshwater
PNEC	0.31 mg/l	marine water
PNEC	69 mg/l	sewage treatment plant (STP)
PNEC	0.225 mg/kg	soil

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Hand protection

Protective gloves		
Material	Material thickness	Breakthrough times of the glove material
NBR: acrylonitrile-butadiene rubber	≥ 0,11 mm	>480 minutes (permeation: level 6)

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

Potassium EDTA Manganese 13%

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	white
Odor	odorless

Other safety parameters

pH (value)	4.5 – 6.5
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	not relevant (fluid)
Explosive limits	not determined
Vapor pressure	not determined

Density 1.746 g/cm³ at 20 °C
(OECD Guideline 109)

Vapor density this information is not available

Solubility(ies)

Water solubility 900 g/l at 20 °C

Partition coefficient

n-octanol/water (log KOW) -8.12 (pH value: 7, 20 °C)
(calculated)

Soil organic carbon/water (log KOC) 1
(calculated)

Auto-ignition temperature not determined

Decomposition temperature >245 °C
(OECD Guideline 102)

Viscosity

Kinematic viscosity not determined

Potassium EDTA Manganese 13%

Dynamic viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Information for relevant hazard classes according to GHS	hazard classes acc. to GHS (physical hazards): not relevant
9.2 Other information	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

If not otherwise specified the classification is based on:

Animal studies; Evidence from any other toxicity tests; Expert judgment (weight of evidence determination).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This substance does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic (oral).

Shall not be classified as acutely toxic (dermal).

Shall not be classified as acutely toxic (inhalation).

May be harmful if swallowed.

May be harmful if inhaled.

Potassium EDTA Manganese 13%

Exposure route	Endpoint	Value	Species	Method
oral	LD50	>2,000 mg/kg	rat, female	OECD Guideline 423
inhalation: dust/mist	LC50	>5.16 mg/l/4h	rat	OECD Guideline 436
dermal	LD50	>2,000 mg/kg	rat	OECD Guideline 402

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.
(OECD Guideline 439 , OECD Guideline 404)

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.
(OECD Guideline 437)

Respiratory or skin sensitization

Skin sensitization

Shall not be classified as a skin sensitizer.
(OECD Guideline 429)

Respiratory sensitization

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.
(OECD Guideline 471, OECD Guideline 487, OECD Guideline 476)

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs

not listed

National Toxicology Program (United States)

not listed

OSHA Carcinogens

Not listed.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.
(OECD Guideline 415, OECD Guideline 414)

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Potassium EDTA Manganese 13%

Exposure route	Endpoint	Value	Exposure time	Species	Method	Notes
oral	NOAEL	500 mg/kg bw/day	90 d	rat	OECD Guideline 408	read-across
oral	NOAEL	≥250 mg/kg bw/day	2 a	rat		read-across
oral	NOAEL	≥338 mg/kg bw/day	1 a	dog		read-across
inhalation: dust/mist	NOEC	0.42 mg/l	12 d	rat, female		read-across

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Other information

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Based on available data, the classification criteria are not met.

Endpoint	Exposure time	Value	Species	Method
LC50	96 h	2,340 mg/l	bluegill (<i>Lepomis macrochirus</i>)	-
EC50	48 h	100.9 mg/l	daphnia magna	OECD Guideline 202
ErC50	72 h	649.3 mg/l	algae (<i>pseudokirchneriella subcapitata</i>)	OECD Guideline 201

Aquatic toxicity (chronic)

Based on available data, the classification criteria are not met.

Endpoint	Exposure time	Value	Species	Method
EC50	21 d	365 mg/l	daphnia magna	OECD Guideline 211
NOEC	35 d	≥25.7 mg/l	zebra fish (<i>Danio rerio</i>)	OECD Guideline 210
NOEC	21 d	156 mg/l	daphnia magna	OECD Guideline 211
NOEC	72 h	25 mg/l	algae (<i>pseudokirchneriella subcapitata</i>)	OECD Guideline 201
LOEC	21 d	500 mg/l	daphnia magna	OECD Guideline 211
LOEC	72 h	48 mg/l	algae (<i>pseudokirchneriella subcapitata</i>)	OECD Guideline 201

Potassium EDTA Manganese 13%

Endpoint	Exposure time	Value	Species	Method
growth rate (ErCx) 10%	72 h	42.8 mg/l	algae (pseudokirchneriella subcapitata)	OECD Guideline 201
reproductive output 10%	21 d	198 mg/l	daphnia magna	OECD Guideline 211

12.2 Persistence and degradability

Biodegradation

No data available.

Persistence

No data available.

12.3 Bioaccumulative potential

n-octanol/water (log KOW)

-8.12 (pH value: 7, 20 °C)
(calculated)

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient

1
(calculated)

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Other adverse effects

This information is not available.

Remarks

Wassergefährdungsklasse, WGK (water hazard class): 1

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packages

Completely emptied packages can be recycled.
Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

Potassium EDTA Manganese 13%

SECTION 14: Transport information

- 14.1 UN number not assigned
- 14.2 UN proper shipping name -
- 14.3 Transport hazard class(es) -
- 14.4 Packing group -
- 14.5 Environmental hazards -
- 14.6 Special precautions for user -
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code -
- 14.8 Information for each of the UN Model Regulations
Transport of dangerous goods by road or rail (49 CFR US DOT) Additional information
Not subject to transport regulations.

SECTION 15: Regulatory information

- 15.1 **Safety, health and environmental regulations specific for the product in question**
- National regulations (United States)**
- Toxic Substance Control Act (TSCA)** substance is listed
- Superfund Amendment and Reauthorization Act (SARA TITLE III)**
- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)**
not listed
- Specific Toxic Chemical Listings (EPCRA Section 313)**
not listed
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)**
- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)**
not listed
- Clean Air Act**
not listed
- Right to Know Hazardous Substance List**
- Hazardous Substance List (NJ-RTK)**
not listed

Potassium EDTA Manganese 13%

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

not listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System.

American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	1	irritation or minor reversible injury possible
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	-

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	1	material that, under emergency conditions, can cause significant irritation
Instability	0	material that is normally stable, even under fire conditions
Special hazard	-	-

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance by the supplier.

SECTION 16: Other information, including date of preparation or last revision

Date of preparation: 2021-08-18

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)

Potassium EDTA Manganese 13%

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC Mono-graphs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Potassium EDTA Manganese 13%

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

Responsible for the safety data sheet

Chemical Regulatory Compliance Company Telephone: +1 (630) 410-1660
Chicago, IL e-Mail: GHS@crc-us.com
USA Website: www.crc-us.com

Disclaimer

This information is based upon the present state of our knowledge.

This SDS has been compiled and is solely intended for this product.