

Safety Data Sheet

29 CFR 1910.1200 App D

Mg Na2 EDTA

Version number: 1.0

SECTION 1: Identification

1.1 Product identifier

Identification of the substance disodium [[N,N'-ethylenebis[N-

(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']magnesate(2-)

Trade name Mg Na2 EDTA

CAS number 14402-88-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Chelating agent

Additive for fertilizer

1.3 Details of the supplier of the safety data sheet

Valudor Products, LLC
Telephone: +1 (760) 635 8500
179 Calle Magdalena Suite 100
e-mail: info@valudor.com
Encinitas, California CA 92024
Website: www.valudor.com

United States

1.4 Emergency telephone number

Emergency information 800-535-5053 (Infotrac)

As above or nearest toxicological information centre.

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Classifica | ation | | | |
|------------|------------------|------------|---------------------------|-----------------------|
| Section | Hazard class | Category | Hazard class and category | Hazard state- ment |
| B.cD | combustible dust | Comb. Dust | cD | OSHA003 |

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word warning

United States: en Page: 1 / 15

Pictograms Not required.

Hazard statements

OSHA003 May form combustible dust concentrations in air.

2.3 Other hazards

Dust explosion hazards.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance disodium [[N,N'-ethylenebis[N-

(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']magnesate(2-)

Identifiers

CAS No 14402-88-1

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Self-protection of the first aider.

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

Take off immediately all contaminated clothing.

In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Following eye contact

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth immediately and drink plenty of water.

Get medical advice/attention.

Notes for the doctor

None.

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

water, foam, alcohol resistant foam, fire extinguishing powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous decomposition products: Section 10.

Danger of dust explosion.

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

Keep containers cool with water spray.

In case of fire and/or explosion do not breathe fumes.

Coordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

chemical protection suit, Wear self-contained breathing apparatus

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Control of dust.

Eliminate all ignition sources if safe to do so.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

United States: en Page: 3 / 15

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Knock down dust with water spray.

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Collect spillage.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5.

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Removal of dust deposits.

Only vacuum cleaners containing no ignition sources may be used for combustible dusts.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Specific notes/details

Layers, deposits and heaps of combustible dust must be considered, like any other source which can form a hazardous explosive atmosphere.

Dust deposits may accumulate on all deposition surfaces in a technical room.

Danger of dust explosion.

United States: en Page: 4 / 15

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

7.2 Conditions for safe storage, including any incompatibilities

Explosive atmospheres

Removal of dust deposits.

Only vacuum cleaners containing no ignition sources may be used for combustible dusts.

Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Ground/bond container and receiving equipment.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Protect against external exposure, such as

heat, humidity, UV-radiation/sunlight

Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

Ventilation requirements

Provision of sufficient ventilation.

Specific designs for storage rooms or vessels

Keep container tightly closed and in a well-ventilated place.

Keep cool.

Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

No information available.

United States: en Page: 5 / 15

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

No constituent of the product currently has a known exposure limit.

8.2 Exposure controls

Appropriate engineering controls

Use local and general ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Hand protection

| Protective gloves | | | | |
|--|--------------------------|--|--|--|
| Material | Material thickness | Breakthrough times of the glove material | | |
| NBR: acrylonitrile-butadiene rubber | no information available | no information available | | |
| IIR: isobutene-isoprene (butyl) rubber | no information available | no information available | | |
| CR: chloroprene (chlorobutadiene) rubber | no information available | no information available | | |
| FKM: fluoro-elastomer | no information available | no information available | | |

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Body protection

Protective clothing for use against solid particulates.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Particle filter device (DIN EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

United States: en Page: 6 / 15

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state solid

(powder)

Color white

Odor odorless

Odor threshold not determined

Other safety parameters

pH (value) 5.5 – 7.5 (in aqueous solution: $10^{9}/_{1}$)

Melting point/freezing point decomposes

Boiling point or initial boiling point and boiling not determined

range

Flash point not applicable

Evaporation rate not determined

Flammability (solid, gas) this material is combustible, but will not ignite

readily

Explosive limits

not determined

Explosion limits of dust clouds not determined

Vapor pressure not determined

Density not determined

Relative density 1.587 at 20 °C (water = 1)

(OECD Guideline 109)

Relative vapour density not applicable

Solubility(ies)

Water solubility $>370 \, ^{9}/_{1}$ at 20 $^{\circ}$ C

Partition coefficient

n-octanol/water (log KOW) -10.42

(calculated)

Soil organic carbon/water (log KOC)

(calculated)

United States: en Page: 7 / 15

Auto-ignition temperature 311 °C

(EU method A.16)

(relative self-ignition temperature for solids)

Decomposition temperature >288 °C

(OECD Guideline 102)

Viscosity not relevant

(solid)

Explosive properties dust explosion hazards

Oxidizing properties none

Information for relevant hazard classes

according to GHS

there is no additional information

9.2 Other information there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

Danger of dust explosion.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge.

Control of dust.

10.5 Incompatible materials

strong oxidizer, aluminum, copper, nickel, zinc

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

Hazardous combustion products: see section 5.

United States: en Page: 8 / 15

SECTION 11: Toxicological information

11.1 Information on toxicological effects

If not otherwise specified the classification is based on:

Animal studies; Evidence from any other toxicity tests; Expert judgment (weight of evidence determination).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic (oral).

Shall not be classified as acutely toxic (inhalation).

| Exposure route | Endpoint | Endpoint Value | | Method |
|-----------------------|----------|--|-------------|--------------------|
| oral | LD50 | >2,000 ^{mg} / _{kg} | rat, female | OECD Guideline 423 |
| inhalation: dust/mist | LC50 | >5.16 ^{mg} / _l /4h | rat | OECD Guideline 436 |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin. (OECD Guideline 404 (Read-across), OECD Guideline 439)

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant. (OECD Guideline 405 (Read-across), OECD Guideline 437)

Respiratory or skin sensitization

Skin sensitization

Shall not be classified as a skin sensitizer.

(OECD Guideline 429)

Respiratory sensitization

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

(OECD Guideline 471, OECD Guideline 474, OECD Guideline 476)

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs

not listed

National Toxicology Program (United States)

not listed

United States: en Page: 9 / 15

OSHA Carcinogens

Not listed.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

| Exposure route | Endpoint | Value | Exposure time | Species | Notes |
|---------------------------|----------|--|------------------|---------|-------------|
| oral | NOAEL | ≥250 ^{mg} / _{kg bw} /day | 2 a | rat | read-across |
| oral | NOAEL | ≥338 ^{mg} / _{kg bw} /day | 90 d | dog | read-across |
| inhalation: dust/ mist | NOAEC | 0.42 ^{mg} / _l | | rat | read-across |

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Other information

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Based on available data, the classification criteria are not met.

| Endpoint | Exposure time | Value | Species | Method |
|----------|---------------|------------------------------------|---------------------------------------|--------------------|
| LC50 | 96 h | 2,340 ^{mg} / _l | bluegill (Lepomis mac- rochirus) | - |
| EC50 | 48 h | 100.9 ^{mg} / _l | daphnia magna | OECD Guideline 202 |
| ErC50 | 72 h | 649.3 ^{mg} / _l | algae (raphidocelis subcap- itata) | OECD Guideline 201 |

Aquatic toxicity (chronic)

Based on available data, the classification criteria are not met.

United States: en Page: 10 / 15

| Endpoint | Exposure time | Value | Species | Method |
|----------------------|---------------|-----------------------------------|---|--------------------|
| EC50 | 21 d | 365 ^{mg} / _l | aquatic invertebrates | OECD Guideline 211 |
| NOEC | 72 h | 15 ^{mg} / _l | algae (raphidocelis subcap- itata) | OECD Guideline 201 |
| NOEC | 21 d | 25 ^{mg} / _l | daphnia magna | - |
| NOEC | 35 d | 25.7 ^{mg} / _l | zebra fish (Danio rerio) | OECD Guideline 210 |
| NOEC | 3 h | 640 ^{mg} / _I | activated sludge of a pre- dominantly domestic sewage | OECD Guideline 209 |
| LOEC | 72 h | 48 ^{mg} / _l | algae (raphidocelis subcap- itata) | OECD Guideline 201 |
| LOEC | 21 d | 50 ^{mg} / _l | daphnia magna | - |
| growth (EbCx) 10% | 72 h | 42.8 ^{mg} / _l | algae (raphidocelis subcap- itata) | OECD Guideline 201 |
| growth (EbCx) 10% | 21 d | 91.9 ^{mg} / _l | daphnia magna | OECD Guideline 211 |

12.2 Persistence and degradability

Biodegradation

Not readily biodegradable. Inherently biodegradable.

| Process of degradability | | | |
|--------------------------|------------------|------|----------------------|
| Process | Degradation rate | Time | Method |
| oxygen depletion | 79 % | 35 d | OECD Guideline 301 D |

Persistence

No data available.

12.3 Bioaccumulative potential

n-octanol/water (log KOW) -10.42

(calculated)

12.4 Mobility in soil

The Organic Carbon normalised adsorption 1

coefficient (calculated)

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Other adverse effects

Data are not available.

United States: en Page: 11 / 15

Remarks

None.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packages

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

| 14.1 | UN number | not assigned |
|------|--|--------------|
| 14.2 | UN proper shipping name | - |
| 14.3 | Transport hazard class(es) | - |
| 14.4 | Packing group | - |
| 14.5 | Environmental hazards | - |
| 14.6 | Special precautions for user | - |
| 14.7 | Transport in bulk according to IMO instruments | - |

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) Additional information Not subject to transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)Substance is listed (ACTIVE)

United States: en Page: 12 / 15

Superfund Amendment and Reauthorization Act (SARA TITLE III)

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

Not listed

Specific Toxic Chemical Listings (EPCRA Section 313)

Not listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Not listed

Clean Air Act

Not listed

Right to Know Hazardous Substance List

Toxic or Hazardous Substance List (MA-TURA)

Not listed

Hazardous Substances List (MN-ERTK)

Not listed

Hazardous Substance List (NJ-RTK)

Not listed

Hazardous Substance List (Chapter 323) (PA-RTK)

Not listed

Hazardous Substance List (RI-RTK)

Not listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Not listed

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

Not listed

SECTION 16: Other information, including date of preparation or last revision

Date of preparation: 2023-08-09

United States: en Page: 13 / 15

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations | | |
|----------------------|--|--|--|
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation | | |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) | | |
| DGR | Dangerous Goods Regulations (see IATA/DGR) | | |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval | | |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control | | |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations | | |
| IARC | International Agency for Research on Cancer | | |
| IARC Mono- graphs | IARC Monographs on the Evaluation of Carcinogenic Risks to Humans | | |
| IATA | International Air Transport Association | | |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) | | |
| IMDG | International Maritime Dangerous Goods Code | | |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval | | |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval | | |
| LOEC | Lowest Observed Effect Concentration | | |
| NOAEC | No Observed Adverse Effect Concentration | | |
| NOAEL | No Observed Adverse Effect Level | | |
| NOEC | No Observed Effect Concentration | | |
| OSHA | Occupational Safety and Health Administration (United States) | | |
| PBT | Persistent, Bioaccumulative and Toxic | | |
| vPvB | Very Persistent and very Bioaccumulative | | |

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United States: en Page: 14 / 15

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|---------|--|
| OSHA003 | May form combustible dust concentrations in air. |

Responsible for the safety data sheet

Chemical Regulatory Compliance Company
Telephone: +1 (630) 410-1660
e-Mail: GHS@crc-us.com
Website: www.crc-us.com

USA

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 15 / 15