

Calcium Ammonium Nitrate Beads 18.5% Calcium, 15.5-0-0 NPK

Version number: 1.0

SECTION 1: Identification

1.1 Product identifier

Identification of the substance	nitric acid, ammonium calcium salt
Trade name	<u>Calcium Ammonium Nitrate Beads 18.5% Calcium, 15.5-0-0 NPK</u>
CAS number	15245-12-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Chemicals for various applications Production of fertiliser
---------------------------------	--

1.3 Details of the supplier of the safety data sheet

Valudor Products, LLC	Telephone: +1 (760) 635 8500
179 Calle Magdalena Suite 100	e-mail: info@valudor.com
Encinitas, California CA 92024	Website: www.valudor.com
United States	

1.4 Emergency telephone number

Emergency information service	800-535-5053 (Infotrac)
As above or next toxicological information centre.	

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
A.10	acute toxicity (oral)	4	Acute Tox. 4	H302
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Calcium Ammonium Nitrate Beads

18.5% Calcium, 15.5-0-0 NPK

Signal word danger

Pictograms

GHS05, GHS07



Hazard statements

H302 Harmful if swallowed.

H318 Causes serious eye damage.

Precautionary statements

P270 Do not eat, drink or smoke when using this product.

P280 Wear eye protection/face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P330 Rinse mouth.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Product forms slippery surface when combined with water.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance nitric acid, ammonium calcium salt

Identifiers

CAS No 15245-12-2

Purity 98 - 100 %

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Calcium Ammonium Nitrate Beads

18.5% Calcium, 15.5-0-0 NPK

Following skin contact

Take off contaminated clothing.
Wash with plenty of soap and water.
If skin irritation occurs: Get medical advice/attention.

Following eye contact

Rinse immediately carefully and thoroughly with eye shower or water.
Remove contact lenses, if present and easy to do. Continue rinsing.
Get immediate medical advice/attention.

Following ingestion

Rinse mouth immediately and drink plenty of water.
Do NOT induce vomiting.
Get medical advice/attention.

Notes for the doctor

None.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye damage.
Harmful if swallowed.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

coordinate firefighting measures to the fire surroundings

Unsuitable extinguishing media

none

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

Hazardous combustion products

ammonia (NH₃), nitrogen oxides (NO_x), calcium oxide

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.
Coordinate firefighting measures to the fire surroundings.
Do not allow firefighting water to enter drains or water courses.
Collect contaminated firefighting water separately.
Fight fire with normal precautions from a reasonable distance.

Calcium Ammonium Nitrate Beads

18.5% Calcium, 15.5-0-0 NPK

Special protective equipment for firefighters

chemical protective clothing, self-contained breathing apparatus (SCBA)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Do not get in eyes, on skin, or on clothing.

Control of dust.

Avoid breathing dust.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Knock down dust with water spray.

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Take up mechanically.

Advice on how to clean up a spill

Collect spillage.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5.

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

Calcium Ammonium Nitrate Beads

18.5% Calcium, 15.5-0-0 NPK

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.
Prevent from heating up above 50 °C.
Removal of dust deposits.

Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

Handling of incompatible substances or mixtures

Do not mix with reducing agents.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.
Remove contaminated clothing and protective equipment before entering eating areas.
Do not breathe dust.
Do not get in eyes, on skin, or on clothing.
Wash hands after use.
Preventive skin protection (barrier creams/ointments) is recommended.

7.2 Conditions for safe storage, including any incompatibilities

Flammability hazards

None.

Incompatible substances or mixtures

Incompatible materials: see section 10.
Observe compatible storage of chemicals.
Keep away from Fetten, Ölen, Organic substances.

Protect against external exposure, such as

heat, direct light irradiation, humidity

Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

Ventilation requirements

Provision of sufficient ventilation.

Specific designs for storage rooms or vessels

Hygroscopic solid.
Store in a dry place. Store in a closed container.
Keep cool.
Store away from reducing agents.

Calcium Ammonium Nitrate Beads

18.5% Calcium, 15.5-0-0 NPK

Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Environment values

Relevant PNECs and other threshold levels		
Endpoint	Threshold level	Environmental compartment
PNEC	18 mg/l	sewage treatment plant (STP)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Wear suitable protective clothing.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Particulate filter device (EN 143).

P2 (filters at least 94 % of airborne particles, color code: White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

Calcium Ammonium Nitrate Beads

18.5% Calcium, 15.5-0-0 NPK

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid
Color	white
Odor	odorless
Odor threshold	not applicable
Other safety parameters	
pH (value)	5 – 7 (in aqueous solution: 110 g/l)
Melting point/freezing point	>400 °C (OECD Guideline 102) no melting point was observed
Boiling point or initial boiling point and boiling range	not determined
Flash point	not applicable
Evaporation rate	not determined
Flammability (solid, gas)	non-combustible
Explosive limits	not determined
Explosion limits of dust clouds	not determined
Vapor pressure	not determined
Density	2.05 g/cm ³ at 20 °C (OECD Guideline 109)
Vapor density	this information is not available
Relative density	2.05 at 20 °C (water = 1) (OECD Guideline 109)
Solubility(ies)	
Water solubility	>100 g/l
Partition coefficient	
n-octanol/water (log KOW)	not relevant (inorganic)

Calcium Ammonium Nitrate Beads

18.5% Calcium, 15.5-0-0 NPK

Auto-ignition temperature	>400 °C (EU method A.16)
Decomposition temperature	not relevant
Viscosity	not relevant (solid)
Explosive properties	none
Oxidizing properties	none
Information for relevant hazard classes according to GHS	hazard classes acc. to GHS (physical hazards): not relevant
9.2 Other information	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Prevent from heating up above 50 °C.
Protect from moisture.

10.5 Incompatible materials

combustible materials, caustic solutions, organic materials, reducing agents, acids, dust, metals

10.6 Hazardous decomposition products

Nitrogen oxides (NO_x).
Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

If not otherwise specified the classification is based on:

Animal studies; Evidence from any other toxicity tests; Expert judgment (weight of evidence determination).

Calcium Ammonium Nitrate Beads

18.5% Calcium, 15.5-0-0 NPK

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic (dermal).

Harmful if swallowed.

Exposure route	Endpoint	Value	Species	Method
oral	LD50	>300 - <2,000 mg/kg	rat, female	OECD Guideline 423
dermal	LD50	>2,000 mg/kg	rat	OECD Guideline 402

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

(OECD Guideline 404)

Serious eye damage/eye irritation

Causes serious eye damage.

(OECD Guideline 405 , OECD Guideline 437)

Respiratory or skin sensitization

Skin sensitization

Shall not be classified as a skin sensitizer.

(OECD Guideline 429)

Respiratory sensitization

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

(OECD Guideline 471, OECD Guideline 473, OECD Guideline 476)

Carcinogenicity

IARC Monographs

not listed

National Toxicology Program (United States)

not listed

OSHA Carcinogens

Not listed.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

(OECD Guideline 422)

Specific target organ toxicity - single exposure

Calcium Ammonium Nitrate Beads

18.5% Calcium, 15.5-0-0 NPK

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Exposure route	Endpoint	Value	Exposure time	Species	Method
oral	NOAEL	≥1,000 mg/kg bw/day	28 d	rat	OECD Guideline 407
oral	NOEC	≥1,500 mg/kg bw/day	28 d	rat	OECD Guideline 422

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Other information

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Based on available data, the classification criteria are not met.

Endpoint	Exposure time	Value	Species	Method
LC50	48 h	447 mg/l	carp (cyprinus carpio)	-
EC50	48 h	>100 mg/l	daphnia magna	OECD Guideline 202
ErC50	72 h	>100 mg/l	algae (pseudokirchneriella subcapitata)	OECD Guideline 201

Aquatic toxicity (chronic)

No data available.

12.2 Persistence and degradability

Biodegradation

The study does not need to be conducted because the substance is inorganic.

Persistence

The study does not need to be conducted because the substance is inorganic.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

Calcium Ammonium Nitrate Beads

18.5% Calcium, 15.5-0-0 NPK

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Other adverse effects

This information is not available.

Remarks

Wassergefährdungsklasse, WGK (water hazard class): 1

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packages

Completely emptied packages can be recycled.
Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number not assigned

14.2 UN proper shipping name -

14.3 Transport hazard class(es) -

14.4 Packing group -

14.5 Environmental hazards -

14.6 Special precautions for user -

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code -

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) Additional information

Not subject to transport regulations.

Calcium Ammonium Nitrate Beads

18.5% Calcium, 15.5-0-0 NPK

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) substance is listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

not listed

Specific Toxic Chemical Listings (EPCRA Section 313)

not listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

not listed

Clean Air Act

not listed

Right to Know Hazardous Substance List

Hazardous Substance List (NJ-RTK)

not listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

not listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System.

American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	0	material that will not burn under typical fire conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	-

Calcium Ammonium Nitrate Beads

18.5% Calcium, 15.5-0-0 NPK

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	0	material that will not burn under typical fire conditions
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard	-	-

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has been carried out.

SECTION 16: Other information, including date of preparation or last revision

Date of preparation: 2021-08-31

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC Mono-graphs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval

Calcium Ammonium Nitrate Beads

18.5% Calcium, 15.5-0-0 NPK

Abbr.	Descriptions of used abbreviations
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.
H318	Causes serious eye damage.

Responsible for the safety data sheet

Chemical Regulatory Compliance Company Telephone: +1 (630) 410-1660
Chicago, IL e-Mail: GHS@crc-us.com
USA Website: www.crc-us.com

Disclaimer

This information is based upon the present state of our knowledge.

This SDS has been compiled and is solely intended for this product.